Date

Tuesday, 10/30/2007 2:48:36 PM

User.

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 35436 -/

Estimate Number

: 11156

P.O. Number This Issue

Prsht Rev.

First Issue

:NA

: 10/30/2007

S.O. No. : NIA

: MA

: PURCHASED PARTS

: 28619 Previous Run

Written By Checked & Approved By

Comment

: Est.

A 405.03.03

New issue KJ/JLM

Drawing Name

: TIRE AND RIM ASSEMBLY

Part Number

: D3233 REV B **Drawing Number**

Project Number

Drawing Revision

CX07/10/31

(20)

Material Due Date

11/6/2007

: N/A

: B

: D32339

20 Um:

Each

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

PURCHASING

1.0

Comment: PURCHASING



Issue P/O:

For D3233-9 Tire and Rim Assembly P/N: 8353T74

Total:

Possible Supplier: McMaster-Carr Product Specification sheet is required

20

3.0

8353T74

Comment: Qty.: 1,0000 Each(s)/Unit

Tire & Rim Assembly

QC6

DIMENSIONAL CHECK

TIRE & RIM

20.0000 Each(s)



Comment: DIMENSIONAL CHECK

4.0

PACKAGING '

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Receive and Inspect for transit damage Ensure Product Specification sheet is attached

Identify and Stock

Location:

QC21

Cos/11/02 (6)

Comment: FINAL INSPECTION/W/O RELEASE

Duco

Job Completion

5.0



CZ07/11/05

Dart Aerospa	ce	Ltd
--------------	----	-----

W/O:							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Aula	生 20	Split only 6 were reces	Sp	Flulor	کم		Afules


Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date: Offill &
			QA: N/C Closed:	Date:


NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
DATE		Description of NC		Corrective Action Section B		Verification	Approval	Approval			
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector			


NOTE: Date & initial all entries




DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
CHECK	APPROXED	DRAWING NO.	REV. B SHEET 1 OF 3		
DATE	05.03.08	WHEEL ASSEMBLY	SCALE 1:1		
Α	05.02.18	NEW ISSUE			
В	05.03.08	ADDED BEARING SEALS	10.111		







* MANUFATURER'S RECOMENDATIONS ARE 75 PSI FOR HIGH SPEED USE.



D3233-041 WHEEL ASSEMBLY

OR

CR 35x45x7 HMS4 R

P/N 13927 (2 PLACES)

SHOP COPY RETURN TO

ENGINEERING

UNCONTROLLED COP

(4) 0.5 X 0.75 X 0.004 BRASS SHIMS PER BEARING, (1) AT EACH QUADRANT.

4) POSSIBLE SUPPLIER: GENERAL BEARING 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

1) POSSIBLE SUPPLIER: McMASTER-CARR, P/N 8353T74

3) PRESS FIT NEEDLE ROLLER BEARINGS INTO RIM HUB WITH

2) POSSIBLE SUPPLIER: GENERAL BEARING


6) ALL DIMENSIONS ARE IN INCHES

NOTES:

COPYRIGHT @ 2005 BY DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	APPROVED	DRAWING NO.	REV. B	
1	Was	D3233	SHEET 2 OF 3	
DATE		TITLE	SCALE	
05	.03.08	WHEEL ASSEMBLY	1:1	



D3233-3 OUTSIDE WASHER

NOTES:

1) MATERIAL: AISI 1020-1025 ROUND TUBING PER MIL-T-5066 OR ASTM A513-00
MT1020 SRA OR AMS 5075 OR AMS 5077, COLD DRAWN, SEAMLESS TROL
(REF. DART SPEC. M1020TR)
2) FINISH: POWDER COAT FIRE RED (REF. 4.3.5.10) PER DART QSI 005 4.3
3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
4) ALL DIMENSIONS ARE IN INCHES

B-

SECTION B-B

5) BREAK ALL SHARP EDGES 0.005 TO 0.010

R0.015

COPYRIGHT @ 2003 BY DART AEROSPACE LTD.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


SHOP COPY KETURN TO

WITHOUT NOTICE



DESIGN 3	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	ABPROVED	DRAWING NO.	REV. B SHEET 3 OF 3	
DATE 05	.03.08	TITLE WHEEL ASSEMBLY	SCALE 1:1	





D3233-7 SHAFT SLEEVE

NOTES:

SHOP COPY RETURN TO ENGINEERING

- 1) MATERIAL: AISI 1020-1025 ROUND TUBING PER MIL-T-5066 OR ASTM A513-00 MT1020 SRA OR AMS 5075 OR AMS 5077, COLD DRAWN, SEAMLESS NTROLLED
- (REF. DART SPEC. M1020TR)

 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

 3) ALL DIMENSIONS ARE IN INCHES

 4) BREAK ALL SHARP EDGES 0.010 TO 0.030

SUBJECT TO AMENDME WITHOUT NOTICE

COPYRIGHT @ 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY
MAIN FINISHED GOODS LOCATION

K6A 1

ORDER NUMBER

Today's Date: 10/31/07

PLUISJER-LANK 200 AURORA INDUSTRIAL PKWY AURORA OH 44202

IF THERE ARE ANY QUESTIONS ABOUT THIS SHIPMENT CONTACT OUR SALES DEPARTMENT (330)995-5500

PAGE 1 OF 1 MCM NUMBE 2724757-02

, ton	Warehouse McMaster Carr Location Part Number				Fill Quantity	Item Description	Your Line	Your Order	This Shipment
Section 1	8- 79-31	47-75	8353	т74	6) EA	PNEUMATIC WHEEL WITH ONE-PIECE RIM 18" X 5.9",CTR HUB,1-1/4"AXLE,ROLLER BRNG, 1590#CAP 91 RAS	1	20 EA	6
The state of the s				ā	Intulor	Balance of 14 EA shipped today from another McMaster-Carr warehouse CERTIFICATE OF COMPLIANCE -McMaster-Carr certifies the items on your purchase order are supplied in accordance with the description and illustration in our catalog. Compliance Manager- Alberto Valedon			
					6				
			=			ertul5			25
						Tig.			
TALL THE					1	**			901